

T 12 N

R 1 W



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,


The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Morgan County are stored on microfilm Reel 7534 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor



Description of the on the interior Sectional lines,

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
35.36	Broken V. & rate. Poplar, Beech, Sugar, Ash, Maple, Spruce	28.3	Broken V. & rate	4.5	Part level V. & rate. Part Broken V. & rate. timber Same
25.36	Broken V. & rate. W. Oak, Poplar, Beech, Willow &c.	33.34	Same	31.32	Broken V. & rate. Beech, W. Oak, &c.
25.26	Same	27.34	Same	26.32	Same
24.25	Broken V. & rate. W. Oak, Oak, Spruce, Oak, Sugar, Maple, Spruce	27.28	Same	30.31	Same
23.24	Broken V. & rate. timber Same	22.37	Part Broken & part level V. & rate. W. Oak, Oak, Beech, Spruce	29.30	Same
13.24	Broken V. & rate	21.42	Broken V. & rate	20.29	Same
13.14	Broken V. & rate. timber Same	18.22	Same	19.30	Broken V. & rate. timber Same
12.13	Broken V. & rate	15.16	Broken V. & rate. timber Same	17.20	Same. part level. Ash, Sugar, Poplar, Beech &c.
11.12	Same	14.15	Same	16.20	Broken V. & rate
1.19	Same	9.10	Part broken V. & rate. part level V. & rate	18.19	Level V. & rate. timber Same
1.2	Part level. part broken V. & rate. timber Same	3.10	Same	17.18	Broken V. & rate
34.35	Broken V. & rate	3.4	Same	8.17	Part level & part Broken V. & rate
26.25	Broken V. & rate. W. Oak, Oak, Beech, Poplar &c.	32.33	Broken V. & rate	7.18	Level V. & rate. timber Same
26.27	Same. V. & rate. timber Same	28.33	Same	7.8	Same
23.26	Part level. part Broken V. & rate. timber Same	28.29	Broken V. & rate	5.8	Broken V. & rate
22.23	Broken V. & rate	21.28	Broken V. & rate. Beech, W. Oak, Birch, &c.	6.7	Level V. & rate. timber Same
14.23	Part Broken. part level V. & rate. timber Same	20.21	Part level V. & rate. part Broken V. & rate. timber Same	5.6	Same
14.15	Broken V. & rate	16.21	Broken V. & rate		
11.14	Same	16.17	Same		
10.11	Part level. part broken V. & rate. timber Same	9.16	Same		
2.11	Broken V. & rate	8.9	Same		
		4.9	Same		

J. H. N. R. 1 W. 2^d Mer. Ind. Co.,

Survey of Island No 1, in Sect L. 35 N 10.00

12 + 13, from post on E. side L. 60 E 8.00

of Island in line Sect 12 + 13, N. 40 E 13.00

N. 38 E 8.00

N. 54 E 3.30 To post.

S. 77 E 9.00

N. 24 E 5.00

N. 23 W 6.00

N. 57 W 7.00

S. 54 W 9.00

N. 71 W 10.00

S. 62 W 8.00

S. 15 E 5.00

S. 31 E 14.00 at 900 line of

Sect 12 + 13.

N. 60 E 8.80 To post.

Land good - timber
Elm, Cottonwood

Sycamore Willow, &c.

A considerable por-

tion of this island

has washed away

Oct. 14, 1848.

Land first rate

Timber Oak, Ash, Elm,

Blackberry, Sycamore, App-

leum & Maple.

Oct. 15, 1848,

A great portion of

this island has been

destroyed by a change

in the channel of the river,

N. E. Van Ness, D. S.

stop

Survey of Island No 2, in

Sect. 20 from post in line

of Sect. 20 + 21. Thence

West 5.00. to post on E

side of Island

N. 7 W 10.00

N. 88 W 7.00

West 4.00

S. 10 W 6.00

S. 10 E 11.00

Township N. 24 North of Range N. 1 West of the 2nd Mer. Ind. Co.

South Boundary. N. 5° 35' P. 11.

West Quarter Remain line North South 1/2 Sec. 36.
T. 12. N. R. 1 W. Wednesday, May 25, 1844.

40.00 Set a timber post & a post.

37.00 To a creek 70 lbs wide, Coma S.

80.00 Set a timber post for the ca. of sec. 35 & 36.
East 1/2 land. first rate; Bottom. very fine; met by
hilly, Oak, Birch, Sugar, Ash.West Quarter Remain line North South Remain of sec. 35.
T. 12. N. R. 1 W.

5.00 To a spring branch 2 miles wide, Coma S.

10.00 To a creek 8 miles wide, Coma S.

40.00 Set a timber post timber.

41.00 To a creek 3 lbs wide, Coma S.

34.00 To a creek 8 " " " S.

80.00 Set a timber post for the ca. of sec. 34 & 35.

Land hilly, good 2nd rate, first; Timber Birch,
Sugar, Oak, Hick.West Quarter Remain line North South 1/2 of sec. 34.
T. 12. N. R. 1 W.

10.00 To a small Brook. Coma S.

26.00 To a Brook 10 lbs wide, Coma S.

40.00 Set a timber post for sec. 34

36.00 To a Brook 4 lbs wide, Coma S.

80.00 Set a timber post for the ca. of sec. 33 & 34.

Land same.

West Quarter Remain line North South 1/2 of sec. 33.
T. 12. N. R. 1 W. Thursday, May 26, 1844.

40.00 Set a timber post for sec. 34

11.00 To a Brook 12 lbs wide, Coma S.

T. N. D. N. R. A. W. D. M. Ind.

North Boundary N. 5. 40.

P. 18

West On the South Boundary of sec. 36 T. 13. N. R. 1 W. June 5. 1819

40,00 Set a post from which,
Beak 18 in air beam. A 20 E. 6 lbs dist. 00,
Beak 18 " " " 59 E. 31 " "

42.00 To a Brook 10 lbs mid, corner S. E.

80,00 Set a post for the corner of sec. 35 T. 13. N. R. 1 W. from which,
Beak 12 in air beam. A 38 E. 20 lbs dist. 00,
Dogwood 6 " " " Set 11 27 " "
Land the same.

West On the South Boundary of sec. 35 T. 13. N. R. 1 W.

40,00 Set a post from which,
Beak 12 in air beam. A 66 E. 12 lbs dist. 00,
Oak 14 " " " 33 78 " "80,00 Set a post for the corner of sec. 34 T. 13. N. R. 1 W. from which,
Beak 14 in air beam. A 33 N. 25 lbs dist. 00,
Oak 8 " " " A 33 E. 31 " "Land very broken & hilly. Timber Beak, Sugar, Oak
& Hick.

West On the South Boundary of sec. 34 T. 13. N. R. 1 W.

40,00 Set a post from which,
Beak 18 in air beam. A 65 E. 42 lbs dist. 00,
Ammon 9 " " " A 78 N. 29 " "

40,00 To a small Brook corner N. W.

80,00 Set a post for the corner of sec. 33 T. 13. N. R. 1 W. from which,
Ammon 8 in air beam. A 31 E. 11 lbs dist. 00,
Beak 8 " " " 52 N. 12 " "Land somewhat broken. Timber Beak, Sugar,
Oak, Hick, Poplar, &c. Good land for farming.

West On the South Boundary of sec. 33 T. 13. N. R. 1 W.

T. N. D. N. R. A. W. D. M. Ind.

40,00 Set a post from which,
Sugar 9 in air beam. A 6 W. 6 lbs dist. 00,
Beak 8 " " " A 65 E. 20 " "

47.00 To a creek 60 links mid, corner S.

76.00 " " Oak 15 " " " "

80,00 Set a post for the corner of sec. 32 T. 13. N. R. 1 W. from which,
Sugar 12 in air beam. A 27 E. 6 lbs dist. 00,
Oak 10 " " " 37 N. 25 " "Land Broken & hilly. Timber same. Maple much
along, good for farming.

West On the South Boundary of sec. 32 T. 13. N. R. 1 W.

4.00 To a Brook 12 links mid, corner N. E.
7.00 " " Oak 12 " " " S. E.40,00 Set a post from which,
Beak 9 in air beam. A 87 N. 15 lbs dist. 00,
Poplar 5 " " " A 66 N. 27 " "

60.00 To a Brook 6 lbs mid, corner N. W.

80,00 A Beak 10 in air. Stand for the corner of sec. 31 T. 13. N. R. 1 W.
Land rolling & open; Timber same. Much
good for farming.

West On the South Boundary of sec. 31 T. 13. N. R. 1 W.

40,00 Set a post from which,
Beak 18 in air beam. A 41 E. 29 lbs dist. 00,
Oak 16 " " " A 67 N. 18 " "68.00 Intersect the Range line 48 lbs South of the post corner
of sec. 30 T. 13. N. R. 1 W. from corner and set a
post at the intersection of the line for the corner of
T. 12 N. 13. N. R. 1 W. from which,
Beak 10 in air beam. A 22 E. 19 lbs dist. 00,
Maple 16 " " " Set 17 13 " "

Land similar, most of rather wet.

T. N. 12. N. R. N. 17 2nd Mer. Ind.

West Boundary r. 6751

North On the East Boundary of sec. 36. T. 12. N. R. 21 W.
Monday June 3. 1819.40.00 Set a post from whitch,
To place 12 in dia. beam. N 83 E. 13 lks dist. to
June 30 " " N 24 W. 14 " "80.00 Set a post for the corner of sec. 25 T. 12. N. R. 21 W. from whitch
N Walnut in dia. beam. N 55 E. 28 lks dist. to
Sugar. 12 " " N 64 W. 27 " "
Land hilly and poor.North On the East Boundary of sec. 25 T. 12. N. R. 21 W.
25.00 To a Rock 15 links into corner S. W.40.00 Set a post from whitch
Reck 12 in dia. beam N 56 E. 19 lks dist. to
Do 14 " " " N 40 W. 22 " "80.00 Set a post for the corner of sec. 24 T. 12. N. R. 21 W. from whitch
Sugar 12 in dia. beam N 50 E. 16 lks dist. to
Do 6 " " " N 71 W. 19 " "
Land very broken & hilly.

North On the East Boundary of sec. 24 T. 12. N. R. 21 W.

40.00 Set a post from whitch
Reck 30 in dia. beam N 50 E. 39 lks dist. to
Sugar. 24 " " " N 61 W. 7 " "80.00 Set a post for the corner of sec. 13 T. 12. N. R. 21 W. from whitch
Reck 14 in dia. beam. N 85 W. 2 lks dist. to
Do 14 " " " N 85 E. 45 " "
Land level. Timber Reck, Sugar & Poplar, Oak &c.
Good land for farming.North On the East Boundary of sec. 13 T. 12. N. R. 21 W.
18.00 To a Rock 10 links into corner N.

T. N. 12. N. R. N. 17 2nd Mer. Ind. 391

40.00 Set a post from whitch
Reck 20 in dia. beam N 7 E. 15 lks dist. to
Do 14 " " " N 55 W. 21 " "

67.50 To a Rock 6 links into corner W.

80.00 Set a post from whitch. (corner of sec. 12 T. 12. N. R. 21 W.)
Reck 18 in dia. beam. N 57 E. 7 lks dist. to
Hick 10 " " " N 38 W. 35 " "
Land level & timber same.

North On the East Boundary of sec. 12 T. 12. N. R. 21 W.

40.00 Set a post from whitch
Sugar. 9 in dia. beam N 9 E. 28 lks dist. to
Reck 18 " " " N 47 E. 60 " "80.00 Set a post for the corner of sec. 14 T. 12. N. R. 21 W. from whitch
Sugar. 10 in dia. beam. N 38 E. 15 lks dist. to
Do 12 " " " N 66 W. 25 " "
Land similar to that for farming.

North On the East Boundary of sec. 1 T. 12. N. R. 21 W.

40.00 Set a post from whitch
Reck. 12 in dia. beam. N 62 E. 14 lks dist. to
Do 12 " " " N 77 W. 36 " "80.00 Set a temporary post for the corner of sec. 1. C. 31 T. 12. N. R. 21 W.
N. R. 112 W. Land similar to that for farming
Part level, Timber Reck, Sugar Hickory.

Surveyed by

William Harris
Deputy Sur.

Subdivisions

North Return Sec. 35 T. 12. N. R. 21 W.

21.75 To a Reck. 14 in dia. into the river

100.00 Set a post from whitch

T. N. 12. N. R. N. 17 2nd Mer. Ind.

Poplar 4 in diam here. 160 E. 11 lbs ash, 70
 Do. 6 " " " 184-16 " "
 52.56 To Spring Branch Co. N.E.
 62.00 To Sugar. 14 in diam. in the line.
 71.16 To Spring Branch Co. N.E.
 80.00 Set apart for the cng. 25, 26, 35 136. From white
 Bech 4 in diam. here. 173 E. 14 lbs ash, 70
 Do. 5 " " " 166 78 " "
 Lunde broken 3rd 130 rate, Timber Poplar, Bech, Sugar
 Oak, &c. 178 78, &c.

East On a line between Jul 25 136. T. 12. N. R. 17
 2.50 To Bech 20 lb mix, Co. N.E.
 9.00 " " Do. 8 " " " 20 E.
 34.00 " " Spring Branch Co. N.W.
 40.00 Set a line for support.
 44.74 To Spring Branch Co. N.W.
 79.78 Set out the Meridian 18 miles south of the post cng
 Jul 25 136.
 Lunde broken 3rd 130 rate, Timber 11 Oak, 13 Oak, 14
 Bech, Hick, &c. 178 78, &c.

West On the line between Jul 25 136. T. 12. N. R. 17
 19.32 To Sugar. 10 in diam. in the line.
 39.89 Set the temporary support at the ar. dist. in the line
 from white, Bech 20 in diam. here. 179 N. 12 lbs ash
 and a Sugar. 14 " " " 154 E. 6 " "
 58.78 To Bech 26 in diam. stands in the line
 79.78 To the cng. 25, 26, 35 136.

North Between Jul 25 & 26 T. 12. N. R. 17
 14.50 To a stream 20 miles N.W. Co. N.
 21.28 To Sugar. 16 in diam. in the line.

T. N. 12. N. R. N. 17 2nd Mer. Ind.

40.00 Set a support from white
 Bech 16 in diam. here. 140 E. 14 lbs ash, 70
 Do. 14 " " " 161 N. 25 " "
 64.85 To an ash. 12 in diam. in the line.
 78.60 To Spring Branch Co. S.E.
 80.00 Set a post for the cng. 23, 24, 25 136. From white
 Bech 14 in diam. here. 126 N. 14 lbs ash, 70
 Do. 15 " " " 135 E. 32 " "
 Lunde part and part broken 130 120 rate, Timber
 11 Oak, 13 Oak, 14 Sugar, Hick, Poplar, Ash, &c. 178
 78, &c.

East On a line between Jul 24 135. T. 12. N. R. 17
 20.00 To Bech 6 lb mix, Co. S.E.
 23.50 To Spring Branch Co. S.E.
 40.00 Set a support for support.
 41.50 To Bech. 12 lbs ash, Co. N.E.
 80.06 Intersect the East by 38 lbs. South of the post cng. 24
 24 135.
 Lunde broken 3rd rate, Timber 11 Oak, 13 Oak, 14
 Oak, Sugar, 178 78, Dogwood, Summ.

West On the line between Jul 24 135. T. 12. N. R. 17
 14.50 To Bech 18 in diam. in the line.
 40.03 Set the temporary support at the ar. dist. in the line
 from white, Sugar. 20 in diam. here. 148 E. 4 lbs ash,
 and a Bech, 8 " " " 139 N. 13 " "
 54.79 To Hick 16 in diam. in the line.
 80.06 To the cng. 23, 24, 25 136.

North Between Jul 23 & 24 T. 12. N. R. 17
 20.70 To a stream 18 in diam. in the line
 39.15 To Spring Branch Co. S.W.

T. N. 12. N. R. N. 17 W 2nd Mm. Ind.

- 4000 Set a $\frac{1}{4}$ supost from which,
 Bech 10 in dia^r beam N 30 W 14 lbs dia^r; m,
 W Oak 18 " " " S 34 W 15 " "
 66.75 To a Bech 20 in dia^r in the line.
 80.00 Set a post for the cor. of sec. 13, 14, 23 & 24 from which,
 Bech 16 in dia^r beam N 13 E 11 lbs dia^r; m,
 W. 16 " " " S 27 W 26 " "
 Land part land and part broken 2nd & 3rd rate
 Timber W. Oak, Sp. Oak, Bech, Sugar Poplar, &
 W. Spruce, Ash, &c. Oct. 18. 1819.

- East On a Random line between Sec. 13 & 24 T. 12 N. R. 17 W.
 25.75 To a spring Br. Corner E. N. E.
 35.70 To a Bech 10 lbs side, Corner E. S. E.
 40.00 Set a temp^y $\frac{1}{4}$ supost
 80.08 Intersect the 2nd Br. Mm. a East 13 & 15 lbs South of
 the post cor. of sec. 13 & 24.
 Land broken 12nd rate Timber Poplar, Ash, W. Oak,
 Sp. Oak, Bech, &c. W. Spruce, Ash, &c.

- West On the line between Sec. 13 & 24 T. 12 N. R. 17 W.
 153.8 To a W. Oak 18 in dia^r stands a the line.
 40.44 Set a $\frac{1}{4}$ supost at the ar. dia^r in the line from which
 a Bech 12 in dia^r beam N 41 W 7 lbs dia^r; m,
 W. 14 " " " S 2 E 15 " "
 60.90 To a B. Walnut 20 in dia^r in the line
 80.08 To the cor. of sec. 13, 14, 23 & 24

- North Return Sec. 13 & 24 T. 12 N. R. 17 W.
 26.65 To a Bech 20 in dia^r in the line.
 32.78 To a spring Br. Cor. N. E.
 35.10 To a Bech 10 lbs side, Cor. E. S. E.
 40.00 Set a $\frac{1}{4}$ supost from which,

T. N. 12. N. R. N. 17 W 2nd Mm. Ind.

- Bech 5 in dia^r beam N 3 E 8 lbs dia^r; m,
 Poplar 20 " " " S 3 W 15 " "
 62.55 To a Sugar 20 in dia^r in the line.
 80.00 Set a post for the cor. of sec. 11, 12, 13 & 14 from which,
 Poplar 44 in dia^r beam N 42 E 25 lbs dia^r; m,
 Bech 26 " " " S 31 W 30 " "
 Land part land and part broken 2nd & 3rd rate,
 Timber Poplar, Sugar, W. Oak, Bech, &c. W.
 Maple, Gumwood, Ash, Bruse &c.

- East On a Random line between Sec. 12 & 13 T. 12 N. R. 17 W.
 40.00 Set a temp^y $\frac{1}{4}$ supost
 80.00 Intersect the 2nd Br. Mm. a E. W. 22 lbs South of
 the post cor. of sec. 12 & 13. Land broken 12nd rate
 Timber W. Oak, W. Oak, Bech, Hickory &c. W.
 Sassafras, Gumwood, Spruce &c.

- West On the line between Sec. 12 & 13 T. 12 N. R. 17 W.
 26.44 To a W. Oak 26 in dia^r in the line.
 40.00 Set the temp^y $\frac{1}{4}$ supost at the ar. dia^r in the line from
 which, W. Oak 22 in dia^r beam N 7 W 18 lbs dia^r; m,
 and a Bech 18 " " " S 21 W 18 " "
 55.56 a Bech 18 in dia^r.
 80.00 To the post cor. of sec. 11, 12, 13 & 14

- North Return Sec. 11 & 12 T. 12 N. R. 17 W.
 24.56 To a Hickory 16 in dia^r in the line.
 40.00 Set a $\frac{1}{4}$ supost from which,
 Logwood 4 in dia^r beam N 59 W 15 lbs dia^r; m,
 Bech 18 " " " S 49 E 30 " "
 44.00 Enter a wind fall
 64.75 To a W. Oak 16 in dia^r in the line.
 80.00 Set a post for the cor. of sec. 1, 2, 11 & 12 from which,
 Bech 14 in dia^r beam S 35 E 10 lbs dia^r; m,

T. N. 12. N. R. N. 17 W 2nd Mn. Ind.

- 40.00 Set a post from which,
Beck 10 in dia: beam N 30 W 14 lbs dia: m,
W Oak 18 " " " S 34 W 15 " "
66.75 To a Beck 20 in dia: in the line.
80.00 Set a post for the corner of sec. 13, 14, 23 & 24 from which,
Beck 16 in dia: beam N 13 E 11 lbs dia: m,
Loc. 16 " " " S 27 W 26 " "
Sawdust laid under post broken 2nd & 3rd rate,
Timber W. Oak, Sp. Oak, Beck, Sugar, Poplar, &c.
W. Spruce, Ash, &c. Oct. 18. 1819.

- East On a Random line between Sec. 13 & 24 T. 12 N. R. 17 W.
25.75 To a spring Br. Corner E. N. E.
35.70 To a Beck 10 lbs mids, Corner E. E.
40.00 Set a temporary post.
80.08 Intersect the 2nd Br. Mn. a East 13 & 15 lbs South of
the post corner of sec. 13 & 24
Sawdust broken 2nd rate, Timber Poplar, Ash, W. Oak,
Sp. Oak, Beck, &c. W. Spruce, Ash, &c.

- West On the line between Sec. 13 & 24 T. 12 N. R. 17 W.
153.8 To a W. Oak 18 in dia: at and in the line.
40.14 Set a post at the ar. dia: in the line from which
a Beck 12 in dia: beam N 41 W 7 lbs dia: m,
Loc. 14 " " " S 2 E 15 " "
60.90 To a B. Walnut 20 in dia: in the line.
80.88 To the corner of sec. 13, 14, 23 & 24

- North Return Sec. 13 & 24 T. 12 N. R. 17 W.
26.65 To a Beck 20 in dia: in the line.
32.78 To a spring 13' loc. N. E.
33.10 To a Beck 10 lbs and, loc. E. N. E.
40.00 Set a post from which,

T. N. 12. N. R. N. 17 W 2nd Mn. Ind.

- Beck 5 in dia: beam N 13 E 8 lbs dia: m,
Poplar 20 " " " S 27 W 15 " "
62.55 To a sugar 20 in dia: in the line.
80.00 Set a post for the corner of sec. 11, 12, 13 & 14 from which,
Poplar 44 in dia: beam N 42 E 25 lbs dia: m,
Beck 26 " " " S 17 W 30 " "
Sawdust laid under post broken 2nd & 3rd rate,
Timber Poplar, Sugar, W. Oak, Beck, &c. W. Spruce,
Ash, &c. Oct. 18. 1819.

- East On a Random line between Sec. 12 & 13 T. 12 N. R. 17 W.
40.00 Set a temporary post.
80.00 Intersect the 2nd Br. Mn. a E. 23 & 22 lbs South of
the post corner of sec. 12 & 13. Sawdust broken 2nd rate,
Timber W. Oak, W. Oak, Beck, Hickory, &c. W. Spruce,
Sassafras, Ironwood, &c.

- West On the line between Sec. 12 & 13 T. 12 N. R. 17 W.
21.44 To a W. Oak 26 in dia: in the line.
40.00 Set the temporary post at the ar. dia: in the line from which,
W. Oak 22 in dia: beam N 7 W 18 lbs dia: m,
Beck 18 " " " S 21 W 18 " "
55.56 a Beck 18 in dia: m.
80.00 To the post corner of sec. 11, 12, 13 & 14

- North Return Sec. 11 & 12 T. 12 N. R. 17 W.
24.56 To a Hickory 16 in dia: in the line.
40.00 Set a post from which,
Dogwood 4 in dia: beam N 59 W 15 lbs dia: m,
Beck 18 " " " S 49 E 30 " "
44.00 Enter a windfall.
64.75 To a W. Oak 16 in dia: in the line.
80.00 Set a post for the corner of sec. 1, 2, 11 & 12 from which,
Beck 14 in dia: beam S 35 E 10 lbs dia: m,

S. A. 12. A. R. A. 177 2nd Mn. Ind.

Reck 3 in dia. trees N. 77 W. 20 lbs chest. in
Lands broken 1st rate; Timber W Oak, B Oak,
Reck 10. 117. Dog & Iron wood, Hick, Bruid.

East On a Random line between Sec 1 & 12 T. 12. N. R. 1 W.

40.00 Set a temporary support. Left Minnifall

81.12 Intercept the 2nd Mn. Minnifall at the
first cor of sec 1 & 12 Lands broken 1st rate
Timber W Oak, Reck Hick &c. 117. These are
Bruid, Hackberry, &c.

West On the line between Sec 1 & 12 T. 12. N. R. 1 W.

18.53 To a sugar. 16 in dia. in the line.

40.56 Set the temporary support at the cor. dist. in the line from
whitely Reck 10 in dia. trees S. 32 E. 25 lbs chest. 113
Reck. Stump 16 " " S. 51 W. 16 " "

56.60 To a Reck. 16 in dia. in the line.

81.12 To the first cor of sec 1. 2. 11 & 12.

North Return Sec 182 T. 12. N. R. 1 W.

17.00 To a Reck 18 in dia. in the line.

40.00 Set a temporary support from whitely

Reck 16 in dia. trees. S. 23 W. 4 lbs chest. 113

Do. 22 " " S. 31 E. 33 " "

67.55 To a Reck. 18 in dia. in the line.

82.70 Intercept the A. R. 10 line East of the first cor of sec
35 & 36. T. 13. N. R. 1 W. and set a post for the cor of
Sec 1 & 12 from which a

Reck 18 in dia. trees. N. 5 E. 14 lbs chest. 113

Do. 16 " " S. 6 E. 24 " "

Lands part lot and part broken. 2nd 1st rate.

Timber W Oak, Poplar, Reck Hick &c. 117

Hick & Indigo &c. Oct. 19 1819.

S. A. 12. A. R. A. 177 2nd Mn. Ind.

North Return Sec 34 & 35 T. 12. N. R. 1 W.

20.70 To a Reck. 18 in dia. in the line.

40.00 Set a temporary support from whitely

Sugar. 8 in dia. trees. N. 5 E. 14 lbs chest. 113

Reck. 12 " " S. 43 W. 21 " "

61.90 To a W Oak. 40 in dia. in the line.

80.00 Set a post for the cor of sec 26, 27, 34 & 35 from whitely

Reck. 16 in dia. trees. S. 15 E. 28 lbs chest. 113

Dogwood 3 " " S. 42 W. 35 " "

Lands broken 1st rate; Timber W Oak, Reck,
Poplar, Sugar &c. 117. Spruce, Sugar.

East On a Random line between Sec 26 & 35 T. 12. N. R. 1 W.

19.80 To a Spring Branch. Come N. N. W.

25. 10 " " " " " " "

40.00 Set a temporary support

64.58 To a Brook (the river, Come N

79.68 Intercept the East Boundary 36. miles North of the first cor
of sec 25, 26, 35 & 36.

Lands broken 2nd 1st rate; Timber W Oak, Reck, B.
Oak, Poplar, Sugar, &c. 117. Spruce &c.

West On the line between Sec 26 & 35 T. 12. N. R. 1 W.

17.98 To a Sugar. 14 in dia. in the line.

39.84 Set the temporary support at the cor. dist. in the line from
whitely Reck. 4 in dia. trees. S. 26 E. 9 lbs chest. 113

Do. 5 " " " S. 33 W. 18 " "

59.14 To a Reck. 22 in dia. in the line.

79.68 To the cor of sec 26, 27, 34 & 35.

North Return Sec 26 & 35 T. 12. N. R. 1 W.

25.56 To a Hick. 18 in dia. in the line.

32.80 To a Spring Branch. Come N. N. W.

T. N. 12. N. R. N. 177 2nd Mrs. Sud.

- 40.00 Set a 7/8 suppost from which
Beck 4 in dia: beam N 61 W. 5 the dist: or,
Hornbeam 4, " " N 41 E. 2 1/2, "
- 46.00 To a spring branch corner W.
- 59.88 To a Beck 10 the mid, corner N.E.
- 61.15 " " Do 10 " " " N.W.
- 63.40 " " Do 10 " " " N.E.
- 65.35 " " Beck 10 in dia: in the mid
- 74.00 " " Beck 20 the mid, corner S.E.
- 80.00 Set a post for the cor of sw 22, 23, 26 & 27 from which,
Sugar 5 in dia: beam N 69 W. 5 the dist: or,
Beck 4 " " " S 56 E. 4 " "
Lands part land & part broken 2nd rate lands,
Timber W Oak, Beck & Poplar, Sugar &c. N 7 Spruce
-
- East Oak Random line between Sw 23 & 26. T. 12 N. R. 1 W.
- 37.20 To a Beck 8 the mid, corner S.E.
- 40.00 Set a temp 7/8 suppost
- 42.46 To a Beck 8 the mid, corner N. W.
- 72.00 To a spring branch corner N.E.
- 80.00 Enter at the N 75 line at the post cor of Sw
23, 24, 25 & 26. Lands part land and part broken
2nd & 3rd rate. Timber Poplar, Beck, W Oak, Sugar
&c. N 7 Spruce & Ash. Sugar &c.
-
- Nest On the line between Sw 23 & 26. T. 12 N. R. 1 W.
- 18.00 To a Poplar 56 in dia: on the line.
- 40.00 Set the temp 7/8 suppost at the cor. dist on the line in
four whisks, Beck 8 in dia: beam S 76 W. 10 the dist:
and a " " Do 20 " " " N 28 W. 14 " "
- 50.94 To a Beck 16 in dia: in the line.
- 80.00 To the cor of sw 22, 23, 26 & 27.

T. N. 12. N. R. N. 177 2nd Mrs. Sud. 399

- North Return Sw 22 & 23. T. 12 N. R. 1 W.
- 22.00 To a Beck 18 in dia: in the line.
- 40.00 Set a 7/8 suppost from which,
Sugar 14 in dia: beam N 21 W. 6 the dist: or,
Beck 3 " " " N 73 E. 12 " "
- 62.19 To a W Oak 30 in dia: in the line.
- 80.00 Set a post for the cor. of sw 14, 15, 22 & 23 from which,
W Oak 18 in dia: beam N 70 E. 5 the dist: or,
Do 24 " " " S 61 W. 22 " "
Lands broken 1st rate; Timber W Oak, W Oak & Beck,
&c. N 7 Dogwood, Sugar, Immort, Brins &c.
-
- East Oak Random line between Sw 14 & 23. T. 12 N. R. 1 W.
- 26.75 To a Beck 8 the mid, corner S.
- 40.00 Set a temp 7/8 suppost
- 79.78 Enter at the East R. 1 W N 75 line 23 links North
of the first cor of sw 14, 23 & 24.
Lands part land broken & 2nd rate, 2nd & 3rd rate
land. 2nd & 3rd rate. Timber Poplar, W Oak, Beck,
Hickory, & Sugar, N 7 Dogwood, Immort, Brins &c.
-
- Nest On the line between Sw 14 & 23. T. 12 N. R. 1 W.
- 17.28 To a Beck 14 in dia: in the line.
- 39.89 Set a 7/8 temp post at the cor. dist on the line in
four whisks, Beck 3 in dia: beam S 73 W. 7 the dist:
and a " " Do 4 " " " N 73 E. 14 " "
- 53.68 To a W Oak 24 in dia: in the line.
- 79.78 To the cor of sw 14, 15, 22 & 23. Oct. 20. 1819
-
- North Return Sw 14 & 15 T. 12 N. R. 1 W.
- 24.05 To a W Oak 10 in dia: in the line
- 40.00 Set a 7/8 suppost from which,
Beck 18 in dia: beam S 7 E. 6 the dist: or,

I No 12. N. R. No 177 2nd. Min. Ind.

- 63.10 Sugar 14 in dia: beam. N 15 W 18 lbs dist.
- 65.00 To a W Oak 20 in dia: in the line.
- 80.00 Enter a Winifall
- 80.00 Set a post for the cu of sw. 10. 11. 14 & 15 from which
Beck 12 in dia: beam. S 67 W 18 lbs dist. to
Do. 10 " " " S 6 E 78 " " in Winifall
Lands broken 3rd rate, Timber W Oak, B Oak,
Hick, Bech, B Gum, &c. W Sassafras, Hick,
Oak &c. Shrubbery, &c.
-
- East On a Run am line between Sw. 11 & 14 S 12 N R 1 W.
- 40.00 Set a timber post.
- 79.87 Enter set the E. 137 or N 13 line 44 lbs South of the post
cu of sw. 11. 12. 13 & 14 Lands broken 3rd rate,
Timber W Oak, B Oak, Hick, Poplar & Bech, &c.
W Sassafras Dogwood, Juniper. Birch & Huckleberry.
-
- West On the line between Sw. 11 & 14 S 12 N R 1 W.
- 16.87 To a Beck 20 in dia: in the line.
- 39.93 Set a timber post at the cu dist on the line
from which Beck 12 in dia: beam. N 20 W 7 lbs dist.
under Do. 10 " " S 48 E 14 " "
- 64.77 To a W Oak. 16 in dia: in the line.
- 79.87 To the cu of sw. 10. 11. 14 & 15.
-
- North Return Sw. 10 & 11 S 12 N R 1 W.
- 10.50 Left Winifall
- 13.50 To Brook 20 lbs m. Come S. W.
- 21.10 To a Beck. 22 in dia: in the line.
- 25.40 To the above named brook Come S. W.
- 40.00 Set a post from which
Beck 14 in dia: beam. N 43 E 28 lbs dist. to
Do. 4 " " S 78 N 33 " "

I No 12. N. R. No 177 2nd. Min. Ind.

- 64.70 To a Sp. Oak 26 in dia: in the line.
- 80.00 Set a post for the cu of sw. 2. 3. 10 & 11 from which
Beck 8 in dia: beam. N 47 W 14 lbs dist. to
Sp Oak. 26 " " S 57 E 44 " "
- Lands part good and part broken 2nd & 3rd rate.
Timber W Oak, B Oak, Beck, Hick, Sugar, W. Spr.
Hazel, Dogwood, Sassafras, &c.
-
- East On a Run am line between Sw. 11 & 14 S 12 N R 1 W.
- 40.00 Set a timber post.
- 79.90 Enter set the N. 13 line 14 lbs South of the post cu
of sw. 1. 2. 11 & 12 Lands broken 3rd rate.
Timber Beck W & B Oak, Sp Oak, Hick, &c.
-
- West On the line between Sw. 11 & 14 S 12 N R 1 W.
- 17.63 To a B Oak. 14 in dia: in the line.
- 39.95 Set the timber post at the cu. dist on the line
from which Beck 14 in dia: beam. S 34 E 9 lbs dist.
under Do. 20 " " N 60 W 20 " "
- 59.34 To a Sp Oak. 10 in dia: in the line.
- 79.90 At the cu of sw. 2. 3. 10 & 11.
-
- North Return Sw. 2 & 3 S 12 N R 1 W.
- 24.00 To a Sugar. 16 in dia: in the line.
- 24.40 To a Brook 12 lbs m. Come N. W.
- 40.00 Set a post from which
W Oak 16 in dia: beam. S 40 E 4 lbs dist. to
Hick 18 " " N 85 W 11 " "
- 64.00 To a W Oak. 16 in dia: in the line.
- 82.24 Enter set the W. 13 line 115 lbs East of the post cu of sw
3 & 13 S 13 N R 1 W and set a post for the cu of
2 & 3 from which
Sugar 20 in dia: beam. N 78 W 7 lbs dist. to

I. A. 12. N. R. N. 177 2nd Mo. Sud.

Beck 4 in deer beam. 146 E. 8 lbs. dist.
Sund Becken 13rd rats. Timber N Oak, B Oak, 2 Beck,
Sugar. & 11/2 Dog wood, Oak, 2 Brins. Y. Oct 21 1819

North Return Sur 23 134 I 12 N R 1 W.

22.27 To a Beck 18 in deer in the line.

40.00 Set a post for the line from which,

13 Oak 4 in deer beam. 128 E. 8 lbs. dist. to,

B. Hick 14 " " " 146 W. 14 " "

62.46 To a Sugar 16 in deer in the line.

80.00 Set a post for the line of sur. 27 28 33 134 from which,

a Dog wood 3 in deer beam. 153 E. 8 lbs. dist. to,

Imperial 3 " " 146 W. 5 " "

Sund Becken 13rd rats, Timber N Oak, B Oak,

Hick 2 B Gum, Sugar. &c. 11/2 Sassafras, Hick,

Brins &c.

East On a Random line between Sur 27 134 I 12 N R 1 W.

40.00 Set a timber post for support.

80.44 Into cut the N. B. line 40 miles North of the post of

Sur 26 27 34 135

Sund Becken 13rd rats, Timber N Oak, Beck 8

Hick 3 11/2 Sassafras Sugar, Hick, &c.

West On the line between Sur 27 134 I 12 N R 1 W.

13.71 To a Beck 18 in deer in the line.

40.92 Set the timber post for support at the deer in the line from which, Dog wood 3 in deer beam. 147 W. 12 lbs. dist. to,

Beck 4 " " " 144 E. 20 " "

53.54 To a N Oak 42 in deer in the line.

80.114 To the line of sur. 26 27 33 134

North Return Sur 27 138 I 12 N R 1 W.

I. A. 12. N. R. N. 177 2nd Mo. Sud.

20.50 To a Red Oak 30 in deer in the line.

40.00 Set a post for support from which,

Dog wood 5 in deer beam. 128 W. 25 lbs. dist. to,

Beck 14 " " " 165 E. 10 " "

59.55 To a B Gum 24 in deer in the line.

80.00 Set a post for the line of sur. 21 22 27 28 from which,

Beck 20 in deer beam. 161 E. 15 lbs. dist. to,

Poplar 28 " " " 161 W. 7 " "

Sund Becken 13rd rats, Timber, Beck, Hick, N Oak,

13 Oak, &c. 11/2 Sassafras Sugar, Hick, 9 Brins &c.

East On a Random line between Sur 22 27 I 12 N R 1 W.

39.87 To a B Branch. Corner —

40.00 Set a timber post for support.

50.70 To a Brook 12 in deer in the line, corner E. S. E.

61.00 " " 12 " " " E. N. E.

79.70 To a Brook 20 in deer in the line, corner E. S. E.

80.54 Into cut the N. B. line 38 miles N. of the post of sur.

22 23 26 27. Sund. 65 lbs. beam 3rd rats, balance

deer 2nd rats, Timber, Beck, Hick, N Oak, B Oak,

Hick 2 B Gum, Sugar, &c. 11/2 Sassafras, Hick,

Brins &c., 1/2 Sassafras &c.

West On the line between Sur 22 27 I 12 N R 1 W.

15.86 To a Hick 18 in deer in the line.

40.27 Set a timber post for support at the deer in the line from

which, Beck 16 in deer beam. 141 E. 13 lbs. dist. to,

Do. 4 " " " 148 E. 18 " "

56.54 To a Beck 18 in deer in the line.

80.54 To the line of sur. 21 22 27 28.

North Return Sur 21 22 I 12 N R 1 W.

21.55 To a Beck 18 in deer in the line.

T. A. 12. A. R. A. 17. 2nd Mr. Ind.

- 24.00 Toa Brook 6 mls. mid, Come N.E.
 30.00 Toa Spring Brand Come E.N.E.
 40.00 Set a 1/2 supert from which,
 Buck 3 in meat beam. 147 E. 12 lbs. ash, 12,
 Butthorn 12 " " 156 N. 20 " "
 45.00 Enter a Windfall
 62.50 Toa Brook 10 mls mid, Come E. S.E.
 63.64 Toa Buckeye 4 in meat in the line.
 89.00 Set apart in the Windfall further on of sec 15. 16. 21. 22.
 from which, Buck 14 in meat beam 141 E. 16 lbs. ash,
 and a 18 " " 146 E. 18 " "
 Sand Rock 13rd rat, Timber N Oak, Buck, Black,
 Hick, &c. 119 Hogwood, Sassafras, Brum R. 11. 22. 1819

- East On a Random line between Sec 10 & 22 T. 12. N. R. 1 W.
 25.00 Left the Windfall
 40.00 Set a trip 1/2 supert.
 65.00 Toa Stream 10 mls mid, Come S.E.
 80.58 Enter at the N.E. line at the spot of sec 14. 15. 21. 22.
 Sand Rock 13rd rat, Timber N Oak, Black, Buck,
 Hick, &c. 119 Sassafras, Hick, Summex, Brains R.

- West On the line between Sec 10 & 22 T. 12. N. R. 1 W.
 22.58 Toa Buck 16 in meat in the line.
 40.29 Set the trip 1/2 supert at the ar. dist. on the line
 from which, Buck 16 in meat beam 158 N. 10 lbs. ash,
 and a Poplar 36 " " 149 N. 15 " "
 32.58 Toa N Oak 18 in meat in the line.
 80.58 To the cu of sec 15. 16. 21 & 22.

- North Between Sec 10 & 16 T. 12. N. R. 1 W.
 15.00 Left Windfall
 24.38 Toa Maple 20 in meat in the line.

T. A. 12. A. R. A. 17. 2nd Mr. Ind.

- 40.00 Set a 1/2 supert from which,
 Buck 4 in meat beam 147 E. 6 lbs. ash, 12,
 N Oak 6 " " 140 N. 19 " "
 60.96 Toa Buck 16 in meat in the line.
 80.00 Set apart for the cu of sec 9. 10. 15 & 16. from which,
 Buck 16 in meat beam 153 E. 17 lbs. ash, 12,
 Sugar, 18 " " 139 N. 13 " "
 Sand Rock 13rd rat, Timber N Oak,
 Buck, Hick, Poplar, Sugar, &c. 119 Hick, Log
 & Brumwood, Buck, Brains R.

- East On a Random line between Sec 10 & 15 T. 12. N. R. 1 W.
 40.00 Set a trip 1/2 supert.
 65.00 Toa Brook 20 mls mid, Come S.E.
 70.00 Enter a Windfall
 80.38 Enter at the East R. 18 mls South of the spot on of
 Sec 10. 11. 14 & 15. Sand Rock. Part 2nd & part 3rd.
 9th rat; Timber N Oak, Buck, Black, Poplar, Sugar,
 &c. 119 Hick, Hazel & Hogwood, & Brains R.

- West On the line between Sec 10 & 15 T. 12. N. R. 1 W.
 19.76 Toa N Oak 13 in meat in the line.
 40.19 Set the trip 1/2 supert at the ar. dist. on the line
 from which, Buck 6 in meat beam 154 E. 7 lbs. ash,
 and a Black 11 " " 157 N. 6 " "
 60.93 Toa Buck 18 in meat in the line.
 80.38 To the cu of sec 9. 10. 15 & 16.

- North Between Sec 9 & 16 T. 12. N. R. 1 W.
 21.94 Toa N Oak 19 in meat in the line.
 40.00 Set a 1/2 supert from which,
 Buck 24 in meat beam 167 N. 11 lbs. ash, 12,
 10 " 18 " " 124 E. 10 " "

T. A. 12. A. R. A. 177 2nd Mr. Ind.

- 24.00 To a Brook 6 miles mid., corner N.E.
 30.00 To a Spring Branch corner E.N.E.
 40.00 Set a 1/4 sap post from which,
 Buck 3 in diam. beam. S 47 E. 12 lbs. dist. 10,
 Buttumb 12 " " S 56 N 20 " "
 45.00 Enter a Windfall
 62.50 To a Brook 10 lbs mid., corner E. S.E.
 63.00 To a Buckeye 4 in diam. in the line.
 89.00 Set a post in the Windfall further on of sec 15. 16. 21 & 22
 from which, Buck 14 in diam. beam S 41 E. 16 lbs. dist.
 and a " " " " S 46 E 18 " "
 Sand Rock 13rd rat, Timber N Oak, Buck, W Oak,
 Hick, &c. N. H. Logwood, Sassafras, Brins &c. Oct 22, 1819

- East On a Random line between Sec 15 & 22 T. 12 N. R. 1 W.
 25.00 Left the Windfall
 40.00 Set a timber 1/4 sap post.
 65.00 To a Willow 10 lbs mid., corner S.E.
 80.58 Set a post at the N.E. line at the spot of sec 14, 15, 21 & 22.
 Sand Rock 13rd rat, Timber N Oak, W Oak, Buck,
 Hick, &c. N. H. Sassafras, Hick, Summex, Brins &c.
 West On the same line between Sec 15 & 22 T. 12 N. R. 1 W.
 22.58 To a Buck 16 in diam. in the line.
 40.29 Set the timber 1/4 sap post at the ar. dist. on the line
 from which, Buck 16 in diam. beam S 58 N. 14 lbs. dist.
 and a Poplar 36 " " " S 9 N. 15 " "
 52.58 To a W Oak, 18 in diam. in the line.
 80.58 To the cor. of sec 15. 16. 21 & 22.

- North Return Sec 15 & 16 T. 12 N. R. 1 W.
 15.00 Left Windfall
 24.38 To a Maple 20 in diam. in the line.

T. A. 12. A. R. A. 177 2nd Mr. Ind. 405

- 40.00 Set a 1/4 sap post from which,
 Buck 4 in diam. beam S 47 E. 6 lbs. dist. 10,
 W Oak 6 " " " S 40 N 19 " "
 60.96 To a Buck 16 in diam. in the line.
 80.00 Set a post for the cor. of sec 9. 10. 15 & 16. From which,
 Buck 15 in diam. beam S 53 E. 17 lbs. dist. 10,
 Sugar, 18 " " " S 39 N. 13 " "
 Sand Rock 13rd rat, Timber N Oak,
 Buck, Hick, Poplar, Sugar, &c. N. H. Hick, Log
 Ironwood, Buck, Brins &c.

- East On a Random line between Sec 10 & 15 T. 12 N. R. 1 W.
 40.00 Set a timber 1/4 sap post.
 65.00 To a Brook 20 lbs mid., corner S.E.
 70.00 Enter a Windfall
 80.38 Set a post at the East by 18 miles South of the spot of
 Sec 10. 11. 14 & 15. Sand Rock. Part 1st & 2nd
 rat; Timber N Oak, Buck, W Oak, Poplar, Sugar,
 &c. N. H. Hick, Ash & Logwood, &c. Brins &c.

- West On the same line between Sec 10 & 15 T. 12 N. R. 1 W.
 19.76 To a W Oak. 13 in diam. in the line.
 40.19 Set the timber 1/4 sap post at the ar. dist. on the line
 from which, Buck 6 in diam. beam S 54 E. 7 lbs. dist.
 and a " " " " S 57 N. 6 " "
 60.93 To a Buck 18 in diam. in the line.
 80.38 To the cor. of sec 9. 10. 15 & 16.

- North Return Sec 9 & 10 T. 12 N. R. 1 W.
 20.74 To a W Oak, 19 in diam. in the line.
 40.00 Set a 1/4 sap post from which,
 Buck 24 in diam. beam S 67 N. 11 lbs. dist. 10,
 W 18 " " " S 27 E. 10 " "

T. A. D. M. A. No. 172nd Mm. Ind.

58.23 Toa R. Gum. 16 in diam. in the line.
80.67 To the end of lat. 16.17.20 & 21. Oct. 25. 1819.

North Return lat. 16.17.20 & 21. Oct. 25. 1819.

07.50 Toa R. Gum. 17 in diam. in the line.

40.00 Set a 1/4 support from which,
R. Gum. 14 in diam. from. S 30 E. 26 the dist. 12,
W Oak 4 " " " " N 27 W 23, "

62.27 Toa R. Gum. 16 in diam. in the line.

80.00 Set a post for the survey lat. 8.9.16 & 17. From which,
Lassafas 3 in diam. from. N 60 E. 14 the dist. 12,
W Oak 4 " " " " S 55 W 16, "
Lunda R. Gum. 13. rate, Timber W Oak, W Oak, R. Gum,
Se. W. Logwood,

East On a Random line between lat. 9 & 16. T. A. D. M. A. No. 172.

40.00 Set a trip. 1/4 support.

80.68 Set lat. the N 23 line 16 links North of the post of
lat. 9.10.15 & 16 Lunda R. Gum. 13. rate, Timber
W Oak, W Oak, R. Gum, Hick, Lassafas, Se. W. Log
& Ironwood, Hick, Oak, R. Gum &c.

West On the line between lat. 9 & 16. T. A. D. M. A. No. 172.

15.93 To a Hick 18 in diam. in the line.

40.34 Set the trip. 1/4 support at the ar. dist. in the line from
which, R. Gum. 13 in diam. from. N 40 E. 5 the dist. 12,
Logwood 5 " " " " S 45 W 6, "

61.78 Toa R. Gum. 22 in diam. in the line.

80.68 To the end of lat. 8.9.16 & 17.

North Return lat. 8 & 9. T. A. D. M. A. No. 172.

22.35 Toa R. Gum. 16 in diam. in the line.

40.00 Set a 1/4 support from which,

T. A. D. M. A. No. 172nd Mm. Ind.

R. Gum. 20 in diam. from. S 9 W 20 the dist. 12,
Auga 18 " " " " N 60 E 15, "

58.68 Toa R. Gum. 16 in diam. in the line.

80.00 Set a post for the survey lat. 4.5.8 & 9. From which,
Oak, 20 in diam. from. S 30 E. 6 the dist. 12,
Logwood 4, " " " " N 34 W 28, "
Lunda R. Gum. 13. rate, Timber R. Gum, Hick, W Oak,
W Oak, Poplar &c. W. R. Gum, Oak, Lassafas,
R. Gum &c.

East On a Random line between lat. 4 & 9. T. A. D. M. A. No. 172.

40.00 Set a trip. 1/4 support.

54.00 Toa R. Gum. 16 in diam. in the line.

80.70 Set lat. the N 23 line 23 links North of the post of
lat. 3.4.9 & 10. Lunda R. Gum. 13. rate, Lunda
Timber W Oak, R. Gum, W Oak, Se. W. Hick, Oak,
R. Gum &c.

West On the line between lat. 4 & 9. T. A. D. M. A. No. 172.

21.15 Toa R. Gum. 18 in diam. in the line.

40.35 Set the trip. 1/4 support at the ar. dist. in the line from
which, Maple 6 in diam. from. N 15 W 11 the dist. 12,
R. Gum. 20 " " " " N 42 W 22, "

59.55 Toa R. Gum. 16 in diam. in the line.

80.70 To the post of lat. 4.5.8 & 9.

North Return lat. 4 & 9. T. A. D. M. A. No. 172.

27.85 To a Poplar. 36 in diam. in the line.

40.00 Set a 1/4 support from which,

W Oak 20 in diam. from. N 60 W 20 the dist. 12,
Hick 18 " " " " N 62 E 14, "

65.17 Toa R. Gum. 14 in diam. in the line.

73.00 Toa R. Gum. 16 in diam. in the line.

T. A. 12. N. R. A. 177 2nd M. Sud.

61.65. To a Poplar 28 in diam in the river.
 70.35. Enter at the West 137 285 fms South of the first ca
 of cut 13724 T. 12. N. R. 277 and set apart for the
 cu of cut 13719 from which
 Sugar 16 in diam. beam. 166 E. 32 1/2 lbs. ash; 12,
 Lo. 12 " " " 153 E. 28 " "
 Sand bar and 2nd rate; Timber Sugar, Poplar,
 Ash, Birch, &c. W. Spruce.

North Return Jan 7 18 T. 12. N. R. 177.
 19.10 To Sugar 26 in diam in the river.
 36.20 To a Birch 8 fms near lower S.E.
 40.00 Set a 7th support from which
 Birch 10 in diam. beam. 161 N. 14 lbs. ash; 12,
 13 Gum. 6 " " " 126 E. 11 " "
 67.46 To a Oak 40 lbs. diam. in the river.
 80.00 Set apart for the cu of cut 78.17. 118 from which
 Birch 16 in diam. beam. 122 N. 25 lbs. ash; 12,
 Sugar 14 " " " 143 E. 15 " "
 Sand bar and 2nd rate; Timber Birch, N. Oak, Black
 Hick, Poplar, Sugar, W. Spruce, Oak, Hick, Dog
 wood, Birch.

East On a Runam line between Jan 8 177 T. 12. N. R. 177.
 40.00 Set a 7th support.
 80.36 Enter at the N.E. line 18 fms South of the first ca
 of cut 8.9.16 177. Sand bar and sand bar broken
 2nd & 3rd rate; Timber N. Oak, W. Oak, Birch,
 Hick, Sugar, Poplar, &c. W. Spruce, Dog wood,
 Maple, Hick, Sassafras &c. Oct. 28. 1819

West On the same line between Jan 8 177 T. 12. N. R. 177.
 18.80 To Sugar 14 in diam. in the river.

T. A. 12. N. R. A. 177 2nd M. Sud.

40.18 Set the support 7th support at the end of the line from
 from which, Birch 22 in diam. beam. 126 N. 15 lbs. ash;
 under 120 16 " " " 151 E. 18 " "
 71.68 To a Birch 24 in diam. in the river.
 80.36 To the cu of cut 78.17. 118.

West Return Jan 7 18 T. 12. N. R. 177.
 21.95 To a Hick 27 in diam. in the river.
 40.00 Set a 7th support from which
 Sugar 18 in diam. beam. 145 N. 18 lbs. ash; 12,
 Birch 32 " " " 152 E. 18 " "
 54.93 To a Sugar 16 in diam. in the river.
 70.44 Enter at the West 137 312 fms South of the first ca
 of cut 12723 T. 12. N. R. 277 on a set apart for
 cu " 7418. From which
 Hick 16 in diam. beam. 151 E. 28 lbs. ash; 12,
 Birch 14 " " " 154 N. 35 " "
 Sand bar and 2nd rate; Timber Birch, Hick,
 Sugar, Poplar, &c. W. Hick, Spruce.

North Return Jan 7 18 T. 12. N. R. 177.
 22.12 To a Hick 20 in diam. in the river.
 40.01 Set a 7th support from which
 Birch 12 in diam. beam. 153 N. 28 lbs. ash; 12,
 Lo. 21 " " " 165 E. 27 " "
 63.20 To a Birch 22 in diam. in the river.
 80.00 Set a 7th support for the cu of cut 5.6.788 from which
 Birch 14 in diam. beam. 175 N. 6 lbs. ash; 12,
 Lo. 4 " " " 113 N. 22 " "
 Sand bar and 2nd rate; Timber N. Oak, Black
 Birch, Birch, Poplar, Sugar, Ash &c.

East On a Runam line between Jan 5 18 T. 12. N. R. 177.

T. N. 12. N. R. N. 1 W 2nd Mm. Ind.

4000 Set a trap for eupost.
80.24 Intersect the N. R. line 18 miles South of the post
cor of sec 4, 5, 8 & 9. Timber Broken 2nd rate
Timber W. Oak, Birch, B. Oak, Poplar, Hickory,

West On the line between Sec 5 & 8 T. 12 N. R. 1 W

19.89 To a Birch 18 in diam in the line.

40.12 Set the trap for eupost at the cross in the line
from which, Birch 18 in diam, Sec 15 the north
end of the line. Ash 26 in diam. Sec 17.

57.90 To an Ash 48 in diam in the line.

80.24 To the post cor of sec 5, 6, 7 & 8.

West Return Sec 6 & 7 T. 12 N. R. 1 W

18.43 To a Birch 18 in diam in the line.

4000 Set a trap eupost from which,
Birch 22 in diam, Sec 14 the north end,
Eng. 16 in diam. Sec 21.

53.64 To an Eng. 16 in diam in the line.

69.95 Intersect the West Return 260. The South of the
post cor of sec. 9 & 10 T. 12 N. R. 1 W and set a
trap from which,

Eng. 17 in diam, Sec 19 the north end,

Ash 30 in diam. Sec 8.

Second hand under 2nd rate; Timber Birch, Maple,
- Poplar, Ash, Eng. &c. N. Y. Spr., &c.

North Return Sec 5 & 6 T. 12 N. R. 1 W.

22.64 To a Birch 14 in diam in the line.

4000 Set a trap eupost from which,
Birch 18 in diam, Sec 7 the north end,
Ash 16 in diam. Sec 8.

65.42 To a Poplar 24 in diam in the line.

T. N. 12. N. R. N. 1 W 2nd Mm. Ind.

81.95 Intersect the N. R. 155 the East of the post cor
of sec 31 & 32 T. 13 N. R. 1 W and set a trap for
eupost from which,
Birch 26 in diam, Sec 32 the north end,
Ash 24 in diam. Sec 31.
Second hand under 2nd rate; Timber Birch,
Poplar, Eng. &c. N. Y. Spr., &c. Oct. 31. 1819.
Ind. by
The Brown & Co.

T. N. 12. N. R. N. 177 2nd Mm. Ind.

4000 Set a trap for euprost.
80.24 Inter cut the N. R. line 18 miles South of the post
Cm of sw 4.5.8 & 9. From de Bortem 2nd rate
Timber N Oak, Birch, B Oak, Poplar, Hickory.

West On the line between Sec 578 T. 12 N. R. 177
1989 To a Birch 18 in diam in the line.
40.12 Set the trap for euprost at the creek in the line
from which, Birch 18 in diam trees 157.15 the creek
mill on Oak 26 " " 152 E. 17.
57.90 To an Oak 48 in diam in the line.
80.24 To the post cm of sw 5.6.7 & 8.

West Return Sec 607 T. 12 N. R. 177
18.43 To a Birch 18 in diam in the line.
4000 Set a trap euprost from which,
Birch 22 in diam trees 152 E. 14 the creek, on
Engen. 16 " " 159 E. 21.
53.64 To an Engen. 16 in diam in the line.
69.95 Inter cut the West Return 260. To the South of the
post cm of sw. 100 T. 12 N. R. 177 and set a
" " " 607 from which,
Engen. 17 in diam trees 157.19 the creek, on
Oak 30 " " 176 E. 8.
Second hand under 2nd rate; Timber Birch, Hickory,
- Poplar, Oak, Engen. &c. 118 Spruce, &c.

South Return Sec 576 T. 12 N. R. 177.
22.64 To a Birch 14 in diam in the line.
4000 Set a trap euprost from which,
Birch 18 in diam trees 162.77 the creek, on
Oak 16 " " 166 E. 8.
65.42 To a Poplar 24 in diam in the line.

T. N. 12. N. R. N. 177 2nd Mm. Ind.

81.95 Inter cut the N. R. 155 the East of the post cm
of sw 31 & 32. T. 13 N. R. 177 and set a post for
cm " 576 from which,
Birch 26 in diam trees 132 N. 27 the creek, on
Oak 24 " " 149 E. 31.
Second hand under 2nd rate; Timber Birch,
Poplar, Engen. &c. 119 Spruce, &c. Oct. 31. 1819.
Inst. by
J. H. Brown D.S.